

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 390027	(X2) MULTIPLE CONSTRUCTION: A. BLDG: <u>00</u> B. WING: _____		(X3) DATE SURVEY COMPLETED: 07/14/2023
NAME OF PROVIDER OR SUPPLIER: TEMPLE UNIVERSITY HOSPITAL, INC.		STREET ADDRESS, CITY, STATE, ZIP CODE: 3401 NORTH BROAD STREET Hospital Administration Suite D PHILADELPHIA, PA 19140			
STATE LICENSE NUMBER: 200701					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE	(X5) COMPLETE DATE	
P 0000	<p>INITIAL COMMENT</p> <p>This report is for new equipment, Pharmaceutical Dispensing Carousel (Model# 221210-118(2212108_CE_PRN), located at Temple University Hospital-Main Campus, Department of Pharmacy beginning on July 14, 2023. Temple University Hospital, Inc., attested they were in full compliance with the requirements of the Pennsylvania Department of Health's Rules and Regulations for Hospitals, 28 PA Code, Part IV, Subparts A and B, November 1987, as amended June 1998.</p>	P 0000			

(X6) DATE:



Certified End Page

TEMPLE UNIVERSITY HOSPITAL, INC.

STATE LICENSE NUMBER: 200701

SURVEY EXIT DATE: 07/14/2023

**I Certify This Document to be a True and Correct Statement of Deficiencies and
Approved Facility Plan of Correction for the Above-Identified Facility Survey**

A handwritten signature in black ink that reads "Jeane Parisi".

Jeane Parisi
Deputy Secretary for Quality Assurance

A handwritten signature in black ink that reads "Debra L. Bogen MD".

Debra L. Bogen, MD, FAAP
Acting Secretary of Health



THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY